



STATE OF WASHINGTON

UTILITIES AND TRANSPORTATION COMMISSION

1300 S. Evergreen Park Dr. S.W., P.O. Box 47250 • Olympia, Washington 98504-7250

(360) 664-1160 • TTY (360) 586-8203

November 17, 2017

Grant M. Yoshihara  
Vice President of Utility Operations  
NW Natural  
220 NW Second Avenue  
Portland, OR 97209

**RE: 2017 Natural Gas Distribution Integrity Management Program (DIMP) Inspection  
Headquarters (Insp. No. 7248)**

Dear Mr. Yoshihara:

Staff from the Washington Utilities and Transportation Commission (staff) conducted a DIMP inspection from Aug. 28-29 and an exit interview on Nov. 2, of NW Natural's (NWN) Headquarters. The inspection included a manual and records review.

No apparent violations were noted as a result of the inspection. This inspection will be closed as of Nov. 17.

Staff thanks NWN's personnel for their professionalism and cooperation during this inspection.

If you have any questions or if we may be of any assistance, please contact Lex Vinsel at (360) 664-1319.

Sincerely,

A handwritten signature in blue ink, appearing to read "Sean C. Mayo".

Sean C. Mayo  
Pipeline Safety Director

cc: JR Gonzales, Manager, Code Compliance, NWN